

GLASS-CERAMIC BUILDING MATERIALS

NEOPARIÉS NEWS

VOL.5

in USA

Modern Renovation

GLASS FOR FUTURE



Nippon Electric Glass



Hoffman Building One (Alexandria, VA)

Architect : Noritake Associates
Neopariés® : White
Renovation : 2014


One Park Place (Kansas City, MO)

Architect : Skidmore, Owings + Merrill (original) , Black & Veatch (retrofit)
Original Completion : 1963
Renovation : 1986

NEOPARIÉS

Variation


Standard




White



Silver Gray



Beige



Black

Translucence

with Spot Light Source



Glaré White
(Made to Order)

Features

1. Lighter and Stronger

NEOPARIÉS is lighter and stronger than granite and more resistant to scratching and abrasion than marble. They are not subject to the fissure and fracture patterns that commonly result from the quarrying of stone. With a greater bending strength, they can be fabricated into thinner panels than natural stone.

2. Easily Formed into Curved Panels

NEOPARIÉS can be re-formed into a wide range of convex and concave radii panels, resulting in greater design flexibility at lower cost than hewn stone.

3. Impermeability/Minimum Maintenance

NEOPARIÉS is virtually impermeable and are not subject to freeze-thaw damage, penetration by rust, mortar or other staining substances. Moisture absorption, as a design consideration, has been eliminated. With NEOPARIÉS, contaminants are easily removed during regular building maintenance. Even graffiti can be cleaned without difficulties.

4. Low Thermal Expansion

With an extremely low coefficient of expansion, NEOPARIÉS is not subject to thermal cracking that can affect other cladding materials.

5. Weather Resistance

NEOPARIÉS is significantly more resistant to acids, alkalis, oils and other chemical substances than either marble or granite. Unlike stone, their surface and physical properties are not degraded even after years of exposure to environmental pollutants, including acid rain.

Glaré White Application



Shinjuku Underground Path, Tokyo, Japan (Renovated in 2013)

 **Nippon Electric Glass Co.,Ltd.**

 **Electric Glass Building Materials Co.,Ltd.**

International Trading Division

11-1, Miyahara 2-chome, Yodogawa-ku, Osaka 532-0003, Japan

Phone: (International) 81-6-6399-2728 FAX: (International) 81-6-6399-2740

<http://www.negb.co.jp/en/>